

All style All me





Table of contents

Complete table of contents	page 2	Bases	page 49
Environment	page 6	Shower doors	page 55
Massage systems	page 9	Porcelain	page 61
Chromatherapy option	page 23	Faucets	page 67
Rayola option	page 24	Electronic controls and jets	page 73
Nuance option	page 25	Colors and accessories	page 75
Bathtubs	page 27	Features and warranty	page 78

Acrylic freestanding bathtubs

Eidel Weiss Seria 3666F1 Seria 3672F1 Alisma 3666F2 Alisma 3672F2 Lilium Eidel 7867 Eidel 7867 (avec bride) Cosmos Wisteria O Wisteria R Flory de Colt Cosmos	7870KA SE3666F1 SE3672F1 AL3666F2 AL3672F2 7369KA 7867KA 7867K1A 7566KA WS3266O WS3266R 7766KA 7560KA	AXX.11050.0000 AXX.19725.0000 AXX.19728.0000 AXX.19925.0000 AXX.19928.0000 AXX.18135.0000 AXX.17921.0000 AXX.17330.0000 AXX.18322.0600 AXX.18322.0000 AXX.17310.0000	29 30 30 32 32 43 36 36 28 34 35 39 28
Acrylic bathtubs			
Seria 3666 Seria 3672 Seria 4266 Seria 4272 Alisma 3666 Alisma 4266 Alisma 4272 Eidel Acore	SE3666 SE3672 SE4266 SE4272 AL3666 AL3672 AL4266 AL4272 7867AA 4272AA	AXX.19625.0000 AXX.19628.0000 AXX.19666.0000 AXX.19644.0000 AXX.19825.0000 AXX.19828.0000 AXX.19866.0000 AXX.19844.0000 AXX.10221.00000 AXX.12544.0000	31 31 31 33 33 33 33 36 37
Flory de Colt	7760AA	AXX.10115.0000	39
Flory de Colt	7766AA	AXX.10120.0000	39
Flory de Colt	7772AA	AXX.10127.0000	39
Flory de Colt (alcove with integrated tiling flange and integrated skirt 60" ri		AXX.10115.5000	41
Flory de Colt (alcove with integrated tiling flange and integrated skirt 60"		AXX.10115.5500	41
Flory de Colt (alcove with integrated tiling flange and integrated skirt 66" ri		AXX.10120.5000	41
Flory de Colt (alcove with integrated tiling flange and integrated skirt 66"		AXX.10120.5500	41
Flory de Colt (alcove with integrated tiling flange 60" right)	7760AAR3	AXX.10115.4000	41
Flory de Colt (alcove with integrated tiling flange 60" left) Flory de Colt (alcove with integrated tiling flange 66" right)	7760AAL3 7766AAR3	AXX.10115.4500 AXX.10120.4000	41 41
Flory de Colt (alcove with integrated tiling flange 66" left)	7766AAL3	AXX.10120.4500 AXX.10120.4500	41
Flory de Colt (alcove with integrated tiling flange 72")	7772AA3	AXX.10127.0500	41
Caprice	CA3466	AXX.18624.0000	42
Caprice	CA3260	AXX.18612.0000	42
Lilium	7369AA	AXX.17535.0000	43
Tulipe	460AA	AXX.17412.0000	45
Tulipe	466AA	AXX.17424.0000	45
Primula	4060AA	AXX.11913.0000	45
Primula	4066AA	AXX.11957.0000	45
Marguerite	1872AA	AXX.13159.0000	45
Celine (with integrated tiling flange and integrated skirt right)	560R3	AXX.17613.5000	47
Celine (with integrated tiling flange and integrated skirt left)	560L3	AXX.17613.5500	47
Ficus (with integrated tiling flange 60" right)	230AAR3	AXX.14410.4000	47
Ficus (with integrated tiling flange 60" left)	230AAL3	AXX.14410.4500	47
Ficus (with integrated tiling flange 66" right)	266AAR3	AXX.14424.4000	47
Ficus (with integrated tiling flange 66" left)	266AAL3	AXX.14424.4500	47
Petunia (with integrated tiling flange and integrated skirt right)	260R3	AXX.17015.5000	47 47
Petunia (with integrated tiling flange and integrated skirt left) Hibiscus	260L3 260AA	AXX.17015.5500 AXX.16912.0000	47 47
Hibiscus	266AA	AXX.16924.0000	47

Acrylic corner bathtubs

Jasmin	655AA	AXX.17155.0000	47
Flory de Colt (corner with integrated tiling flanges 2 sides 66" right) R drain R flange	7766R2R	AXX.10120.5200	41
Flory de Colt (corner with integrated tiling flanges 2 sides 66" left) L drain L flange	7766L2L	AXX.10120.5700	41
Flory de Colt (corner with integrated tiling flanges 2 sides 66" left) R drain L flange	7766R2L	AXX.10120.5300	41
Flory de Colt (corner with integrated tiling flanges 2 sides 66" left) L drain R flange	7766L2R	AXX.10120.5800	41
Flory de Colt (corner with integrated tiling flanges 2 sides 60" right) R drain R flange	7760R2R	AXX.10115.5200	41
Flory de Colt (corner with integrated tiling flanges 2 sides 60" left) L drain L flange	7760L2L	AXX.10115.5700	41
Flory de Colt (corner with integrated tiling flanges 2 sides 60" left) R drain L flange	7760R2L	AXX.10115.5300	41
Flory de Colt (corner with integrated tiling flanges 2 sides 60" left) L drain R flange	7760L2R	AXX.10115.5800	41
C. 1 1 1 1 1			
Standard acrylic shower bases			

Cache 3634			A21.16151.0082.XX	50
Cache 3636 Alcove			A21.16136.0073.XX	50
Cache 3636 Corner		R flange	A21.16136.0074.XX	50
Cache 3636 Corner		L flange	A21.16136.0075.XX	50
Cache 3838 Neo-angle		I narige	A21.16138.0030.XX	51
				51
Cache 4236			A21.16163.0082.XX	
Cache 4832			A21.16164.0082.XX	51
Cache 4836 Alcove			A21.16118.0082.XX	52
Cache 4836 Corner		R flange	A21.16118.0086.XX	52
Cache 4836 Corner		L flange	A21.16118.0087.XX	52
Cache 6032 Alcove	R drain		A21.16112.4082.XX	52
Cache 6032 Alcove	L drain		A21.16112.4582.XX	52
Cache 6032 Corner	R drain	R flange	A21.16112.4086.XX	53
Cache 6032 Corner	L drain	L flange	A21.16112.4587.XX	53
Cache 6036 Alcove	R drain		A21.16116.4082.XX	53
Cache 6036 Alcove	L drain		A21.16116.4582.XX	53
Cache 6036 Alcove	Center drain		A21.16116.0082.XX	53
Cache 6036 Corner	R drain	R flange	A21.16116.4086.XX	54
Cache 6036 Corner	R drain	L flange	A21.16116.4087.XX	54
Cache 6036 Corner	L drain	R flange	A21.16116.4586.XX	54
Cache 6036 Corner	L drain	L flange	A21.16116.4587.XX	54
Cache 6036 Corner	Center drain	R flange	A21.16116.0086.XX	54
Cache 6036 Corner	Center drain	L flange	A21.16116.0087.XX	54

Leak-barrier acrylic shower bases				
Cache 3634 Alcove	4		A21.16251.0082.XX	50
Cache 3636 Alcove		2 1	A21.16236.0073.XX	50
Cache 3636 Corner		R flange	A21.16236.0074.XX	50
Cache 3636 Corner		L flange	A21.16236.0075.XX	50
Cache 4236 Alcove		E nange	A21.16263.0082.XX	51
Cache 4236 Corner		R flange	A21.16263.0086.XX	51
Cache 4236 Corner		L flange	A21.16263.0087.XX	51
Cache 4832 Alcove	100		A21.16264.0082.XX	51
Cache 4832 Corner	0.00	R flange	A21.16264.0086.XX	51
Cache 4832 Corner		L flange	A21.16262.0087.XX	51
Cache 4836 Alcove			A21.16218.0082.XX	52
Cache 4836 Corner		R flange	A21.16218.0086.XX	52
Cache 4836 Corner		L flange	A21.16218.0087.XX	52
Cache 6032 Alcove	R drain	The state of the s	A21.16212.4082.XX	53
Cache 6032 Alcove	L drain	and the same of th	A21.16212.4582.XX	53
Cache 6032 Corner	R drain	R flange	A21.16212.4086.XX	53
Cache 6032 Corner	L drain	L flange	A21.16212.4587.XX	53
Cache 6036 Alcove	R drain	man of	A21.16216.4082.XX	54
Cache 6036 Alcove	L drain		A21.16216.4582.XX	54
Cache 6036 Alcove	Center drain	The same of the sa	A21.16216.0082.XX	54
Cache 6036 Corner	R drain	R flange	A21.16216.4086.XX	54
Cache 6036 Corner	R drain	L flange	A21.16216.4087.XX	54
Cache 6036 Corner	L drain	R flange	A21.16216.4586.XX	54
Cache 6036 Corner	L drain	L flange	A21.16216.4587.XX	54
Cache 6036 Corner	Center drain	R flange	A21.16216.0086.XX	54
Cache 6036 Corner	Center drain	L flange	A21.16216.0087.XX	54

complete table of contents

Shower doors			
Azelia 36 Azelia 42 Azelia 48 Azelia 60 Azelia 3636 Azelia 3248 Azelia 3260 Azelia 3642 Azelia 3642 Azelia 3660 Lemans Fashion 3636 Fashion 3666 Zen 36 Zen 48 Zen 60 Exalt 48 Exalt 60 Exalt 3648 Exalt 3260 Exalt 3660 Smooth 48 Smooth 60 Smooth 3660 Smooth 3660	TD90	31.1308.022.30 31.1308.072.30 31.1308.052.30 31.1308.062.30 31.1308.233.30 31.1308.153.30 31.1308.253.30 31.1308.253.30 31.1308.253.30 31.1308.253.30 31.1308.253.30 31.128.253.30 31.1128.253.30 31.1128.253.30 31.1127.264.30 31.1188.052.30 31.1188.052.30 31.1184.052.30 31.1274.052.30 31.1274.263.30 31.1274.263.30 31.1274.263.30 31.1284.052.30 31.1284.052.30 31.1284.052.30 31.1284.053.30 31.1284.053.30 31.1284.053.30 31.1284.053.30 31.1284.053.30 31.1284.263.30 31.1284.263.30	56 56 56 56 56 56 56 56 58 59 59 59 59 57 57 57 57 57 57
Bathtub door			
Herencia		32.1298.092.30	58
Toilets			
Zen Paris Florence Malaga Sinks	FB1699 FB1696 FB1697 FB1650	40.1121.101.10 40.1141.212.10 40.1151.111.10 40.1139.212.10	62 62 63
Verona Karara Wish S30 Wish S48 Wish S60 Zen 19R Zen 25R Zen 50R	FP4606 FP4645-1	50.1193.300.10 50.1313.400.10 5X.1235.XXX.10 5X.1245.XXX.10 5X.1265.XXX.10 5X.1285.XXX.10 5X.1295.XXX.10 5X.1305.XXX.10	63 63 64 64 64 65 65

Faucets

Fen Series		
Bathtub	FFN1000040 C0 1000 100 C0	00
Pressure balance bathrub faucet (4 pieces)	FEN990240 60.1030.100.60 FEN990235 60.1025.100.60	68 68
Floor-standing faucet with hand shower	FEIN990235 60.1025.100.60	08
Sink		
Single-hole lavatory faucet with waste included	FEN990225 60.1015.100.60	68
Single-note lavatory laucet with waste included	FEN990223 00.1013.100.00	00
Shower		
Thermostatic valve	FEN990260 60.1070.100.60	69
Shut-off valve	FEN990270 60.1060.100.60	69
Diverter valve	FEN990265 60.1065.100.60	69
Sliding bar with hand shower	FEN990210 60.1040.100.60	69
Rain-style shower head	FEN990215 60.1045.100.60	69
Body jet	FEN990250 60.1050.100.60	69
Water outlet	FEN990255 60.1055.100.60	69
Waste-basin trap	FEN990275 60.1075.100.60	69
Taron Series		
Bathtub		
Bathtub faucet (4 pieces)	TAR990340 60.3030.100.60	70
Floor-standing faucet with hand shower	TAR990335 60.3025.100.60	70
Sink	TT D00000 00 1015 100 00	=-
Single-hole lavatory faucet with waste included	TAR990325 60.1015.100.60	70
CI.		
Shower Thermostatic valve	TAR990360 60.1070.100.60	71
Shut-off valve	TAR990360 60.1070.100.60 TAR990370 60.1060.100.60	71 71
Diverter valve	TAR990370 60.1060.100.60	71
Sliding bar with hand shower	TAF1990303 60.1040.100.60	71
Rain-style shower head	TAR990315 60.1045.100.60	71
Body jet	JET990050 60.1050.100.60	71
Water outlet	ACC990055 60.1055.100.60	71
Waste-basin trap	ACC990075 60.2575.100.60	71
Table Salm trap	110000010 00.2010.100.00	7.1
Malaga series		
Shower		
CI	3.6 T T 000000 00 0000 100 00	EQ.

PRODUCT CODING

Shower tower

These codes indicate the name and the specific technical components of the product.


$\underbrace{\textbf{E10.10112}}_{A~B~C~D~E~F~G~H}. \underbrace{\textbf{D101022.10}}_{E~F~G~H}$

MAL990990 60.6080.100.60

- A Product range
 B Bathtub only or with system
 C Product name
 D Dimensions

- E Characteristic(s) (skirt, flange...)
 F Option(s)
 G System(s)
 H Colour

WE TAKE THE ENVIRONMENT TO HEART





ALCOVE IS ALSO PROUD TO HAVE ATTAINED LEVEL 2 OF THE RECYC-QUÉBEC ICI ON RECYCLE RECOGNITION PROGRAM. THE MAIN OBJECTIVE OF LEVEL 2

- "IMPLEMENTATION" IS TO RECOGNIZE INSTITUTIONS THAT HAVE ALREADY IMPLEMENTED MEASURES ONSITE TO REDUCE, REUSE, RECYCLE, AND RECOVER MATERIALS, AND THUS ARE CONTRIBUTING TO THE ESTABLISHMENT OF WASTE MANAGEMENT SYSTEMS AND INFORMATION AND AWARENESS-RAISING ACTIVITIES. THIS LEVEL ALSO AIMS TO GUIDE "ICI" PARTICIPANTS TOWARDS OPTIMIZING THEIR WASTE MANAGEMENT PERFORMANCE.

THE ENVIRONMENT IS A PRIMARY CONCERN



BECAUSE WE HOLD SUSTAINABLE DEVELOPMENT AT HEART, WE INNOVATE BY REDUCING THE ENVIRONMENTAL FOOTPRINT OF OUR OPERATIONS AND OUR PRODUCTS. WE ARE THE FIRST AND LEADING MANUFACTURER OF BATHROOM PRODUCTS IN NORTH AMERICA TO BE CERTIFIED ECORESPONSIBLE. THIS CERTIFICATION ECORESPONSIBLE PROGRAM IN SUSTAINABLE DEVELOPMENT IS DEDICATED TO RECOGNIZED AND RESPONSIBLE PRACTICES: PROCUREMENT, ECO-DESIGN, LIFE CYCLE ANALYSIS AND CARBON FOOTPRINT, LEAN MANUFACTURING, RECYCLING AND DEVELOPMENT OF NEW EMERGING MATERIALS ARE DISCOURSED WITHIN A SPIRIT OF SUSTAINABLE DEVELOPMENT.

BY OPTING FOR THE QUALITY OF OUR LINES, YOU MAKE A CONSCIOUS CHOICE FOR PRODUCTS THAT WILL STAND THE TEST OF TIME. TOGETHER, AND FOR A GOOD CAUSE, WE EMBARK ON A JOURNEY IN HARMONY WITH NATURE. OUT OF NEED, FOR PLEASURE, RESPONSIBLY.

100% RECYCLED. 100% QUEBEC-MADE.

Alcove reduces its ecological footprint by printing on 100% recycled paper, 100% Quebec-made.

Designed with green and local energy, FSC and EcoLogo certified, the fibre comes entirely from recovered paper and was bleached without chlorine.

Each year, Alcove protects life and the environment by saving the equivalent of:



884 TREES2 football fields



3,227,063 LITRES OF WATER

l Olympic swimming pool



775 GJ

Energy consumption of 7 households per year



129,771 KG CO²

Emissions of 43 cars per year



39,561 KG OF TRASH

3 truckloads of trash



167 KG NOx

Emissions of 1 truck per year
















Unique sensations

With Alcove, you can create a variety of different bathing experiences by adding any of our three massage systems to your bathtub: Whirlpool, Balne-Air and Vibro-Air.

You can also combine these systems to increase your array of massage options, and make each moment of relaxation different and unique.

Three massage systems:

• Whirlpool



• Balne-Air



• Vibro-Air



These three symbols indicate the system is available on the bathtubs featured in this brochure.

Massage systems

Unique sensations

Vigour





Whirlpool system

page 13

Greater well-being



Back jets

page 14

Relaxation





Balne-Air system

page 17

Softness





Vibro-Air system

page 18

Combo systems

Vigour + Relaxation





page 21

Vigour + Softness



. 7

Whirlpool + Vibro-Air

Options

Light



Chromatherapy

page 23

Heat



Rayola

page 24

Color



Nuance

page 25





Vigour

Whirlpool System <

For the athlete in you

The most vigorous hydro massage

Our Whirlpool massage is the most vigourous of all of our systems. with a forceful propulsion of water and warm air, it provides a deep tissue massage that oxygenates your muscles, while stimulating your blood flow and circulatory system.

Water flow is adjustable, from soothing to energetic, and multi-directional jets located strategically along the contour of the bathtub make it easy to focus on specific stress points. Combining neck, back, and foot massage results in an instant revitalizing experience.

In addition

Safety

Secura suction, built-in to the vertical contour of the bathtub, makes the system perfectly safe for the whole family. If obstructed, the system selfregulates or stops automatically.

Options

Enhance your experience with the water heater.

- Built-in to the shell of the bathtub
- Easy start-up
- Designed to fit the style of the bathtub



Greater well-being

Back jets

A back massage in the comfort of your own home

A Whirlpool system complement for upper and lower back care

Surrender to back jets for that immediate release of tension in your back and shoulders.

Designed with the expertise of massage professionals in mind, the back jets work in combination with the Whirlpool system. Located strategically in the bathtub's backrests, micro-rotating back jets energetically propel the water onto critical parts of your back and shoulders. You can adjust the water pressure according to your specific needs.

In addition

Double your pleasure

Alcove offers the option of back jets at both ends of the bathtub to massage the feet and back simultaneously or to experience a massage for two.

- Activated by Whirlpool system control
- Diverter valve to control jet intensity







Relaxation

Balne-Air System ••

An all-encompassing blanket of bubbles

A full body pillow of soothing bubbles

Our Balne-Air system creates the delightful experience of softly floating on a cushion of soothing bubbles for a gentle, relaxing massage. Customize your experience by adjusting the system's intensity.

The Balne-Air system propels warm air into the water through injectors located on the bottom and on the backrests of the bathtub. Multiple outlets in each injector create the sensation of an embracing pillow of air.

In addition

Perfectly hygienic

Thanks to non-return valves in each injector, no water enters the approved tubing, preventing the formation of bacteria in the system. Twenty minutes after the massage, a drying cycle activates to clean and dry all conduits.

A safe system

Superior-quality tubing and jets that meet the highest standards and a highly controlled manufacturing process that guarantees complete peace of mind.

- Built-in to the shell of the bathtub
- Ergonomic
- Easy start-up



Softness

Vibro-Air System

A caressing, lengthy and well-deserved break

A gentle and soothing swirl of hydro massage

The Vibro-Air massage system recreates the stimulating effect of bathing in the oxygenated water of rapids. As a gentle and soothing swirl, the Vibro-Air system maximizes wellness and relaxation. customize the experience by adjusting the intensity.

The Vibro-Air massage system includes dozens of micro-injectors strategically located along the bottom of the bathtub contour and in the backrest. Warm air is then injected into the water creating thousands of bubbles that completely envelop your body.

In addition

Perfectly hygienic

The configuration of conduits and injectors allows the system to completely drain after use. Twenty minutes after the massage, a drying cycle activates to clean and dry all conduits.

A safe system

Superior-quality tubing and jets that meet the highest standards and a highly controlled manufacturing process that guarantees complete peace of mind.

- Built-in to the shell of the bathtub
- Ergonomic
- Easy start-up





Optimize the art of bathing

Your customized wants and needs

Take your Alcove experience to an even higher level by combining our different systems – and enjoy a full spectrum of massages, from gentle and relaxing to powerful and stimulating, depending on your mood and needs.

Alcove suggests two combo options. Please refer to chart.

Whirlpool + Balné-Air
$$\leftarrow$$
 + •••

The power of the Whirlpool system with the gentle comfort of the Balne-Air system.

Whirlpool + Vibro-Air
$$\leftarrow$$
 + $\frac{1}{2}$

The power of the Whirlpool system with the soothing effect of dozens of warm air micro-jets.

Regardless of the combo you choose, you'll be in seventh heaven.

Control

Both combos come equipped with a single control panel built right into the bathtub shell.


Combo Systems





Light

Chromatherapy



Add colour for a multisensory journey

Hydro massage meets luminotherapy

Our Chromatherapy component adds the beneficial effects of colours on your body and mind to enhance your massage experience. each colour has a therapeutic effect on a specific energy core of your body. An ideal complement to any of our systems, Chromatherapy creates the ambiance you want as you relax in pure comfort.

Built into the contour of the bathtub, chromatherapy is composed of one, two or four powerful lighting fixtures. Cleanly designed and adapted to the style of your bathtub, Chromatherapy creates a soothing or energizing ambiance depending on the colour you choose.

Simply by pushing a button

- Off
- White
- Rainbow loop
- Stop on a color of the rainbow
- Choose one of the seven other predetermined colors
- Stop



Heat

Rayola

Heated cushions soothe your back and shoulders



Total relaxation

Heated backrest option

The experience of relaxation is brought to the next level by the Rayola option. Unwind from your daily stress with heated back support specifically designed for total relaxation. An innovation that will provide well-being and immediate comfort.

Two settings

Integrated into the bathtub, the electronic control allows you to choose between two heat settings, ensuring an experience adapted to your needs.

Energy efficient

With its environmentally-friendly design, the Rayola option consumes only a fraction of energy.



Color

Nuance



Colour as your finishing design touch

Colours for freestanding bathtubs

Infuse your bathroom with colour harmony

It is now possible to match the colour of your bathtub to that of your bathroom. Take advantage of a selection of 9 colours available for our freestanding models.

Possibility of adding a second colour.



^{*}Customized products, non cancellable, non returnable.



Immersed in style

At Alcove, we have long understood that everyone has a different definition of wellbeing. That is why we offer you a wide selection of bathtub designs to choose from for your perfect moments of relaxation. Whether it is freestanding, alcove, podium or a corner unit, whether you opt for a massage system or any other accessory, your Alcove bathtub will have everything you want and will reflect your personal style.


Acrylic bathtubs



Immersion

Freestanding 66" 66 1/8" x 31 1/4" x 21 1/2" 15 5/8" Freestanding 60" 59 1/2" x 29 3/4" x 21 1/2" 16 1/8"





Freestanding 3666F1 Freestanding 3672F1




Immersion

17 ½" 17 1/2"

64~% " x 35'' x 24''

71" x 35 ½6" x 24"



 Podium 3666
 65 %" x 35 %" x 23 ½"
 17 ½"

 Podium 3672
 71 %" x 35 %" x 23 ½"
 17 ½"

 Podium 4266
 65 %" x 41 %" x 23 ½"
 17 ½"

 Podium 4272
 71 %" x 41 %" x 23 ½"
 17 ½"














Immersion



Freestanding 3666F2 Freestanding 3672F2






Immersion

16 1/4" 16 1/4"

65 % x 35 % x 24"

71 7/8" x 35 3/4" x 24"



Podium 3666 65 % x 35 % x 24" 16 1/4" Podium 3672 71 7/8" x 35 3/4" x 24" 16 1/4" Podium 4266 65 7/8" x 41 3/4" x 24" 16 1/4" 71 7/8" x 41 3/4" x 24" Podium 4272 16 1/4"













Immersion



Immersion

Freestanding

66 5%" x 33" x 22 1/2"

15"



Immersion

Freestanding

66 $^{3}\!\!/_{4}"$ x 33 $^{1}\!\!/_{2}"$ x 22 $^{1}\!\!/_{2}"$

15 % "





Immersion

Freestanding

66 ½" x 31 ¼" x 20 5%"

13 1/8"

• •

-- --

Dimensions

-

Immersion

Podiu

66 ½" x 31 ¼" x 20 5%"

13 1/8"

-0 -

Dimensions

Immersion

Freestanding with integrated tiling flange

66 $\frac{3}{8}$ " x 31 $\frac{1}{2}$ " x 20 $\frac{5}{8}$ "

13 1/8"

•••





Immersion









Immersion

Freestanding

65 $\frac{1}{4}$ " x 30 $\frac{5}{8}$ " x 21 $\frac{5}{8}$ "

16 1/8"





Dimensions

Immersion

Podium 72" 71 %" x 32 ¼" x 20 %" 15 ¼" Podium 66" 65 %" x 30 ¾" x 21 %" 15 %" Podium 60" 59 %" x 30 ¾" x 21 %" 15 ¾"















Corner with integrated tiling flanges 2 sides 60" right and left drain Corner with integrated tiling flanges 2 sides 60" left and right drain Corner with integrated tiling flanges 2 sides 60" right and right drain Corner with integrated tiling flanges 2 sides 60" left and left drain Corner with integrated tiling flanges 2 sides 66" right and left drain Corner with integrated tiling flanges 2 sides 66" left and right drain Corner with integrated tiling flanges 2 sides 66" right and right drain Corner with integrated tiling flanges 2 sides 66" left and left drain

60 3/8" x 30 1/4" x 21"
60 3/8" x 30 1/4" x 21"
59" x 30 ½" x 21"
59" x 30 ½" x 21"
66" x 30 ½" x 21 ¾"
66" x 30 ½" x 21 ¾"
64 %" x 30 ½" x 21 %"
64 %" x 30 ½" x 21 %

15 3/4"


15 3/4" 15 3/4" 15 ¾" 16 1/8" 16 1/8" 16 1/8"

16 1/8"



Dimensions

Alcove with integrated tiling flange and integrated skirt 66" Alcove with integrated tiling flange and integrated skirt 60"









Immersion

65 3%" x 30 ½" x 21 3%" 16 1/8" 59 %" x 30 %" x 21 %" 15 3/4"

Dimensions

Alcove with integrated tiling flange 72" Alcove with integrated tiling flange 66" Alcove with integrated tiling flange 60"














Immersion

72 ½" x 32 ½" x 20 %" 15 1/4" 66 1/8" x 30 7/8" x 21 3/8" 16 1/8" $59 \frac{3}{4}$ " x 31" x $21 \frac{3}{8}$ " 15 3/4"



65 $\frac{1}{8}$ " x 33 $\frac{7}{8}$ " x 21 $\frac{3}{4}$ "

Podium 66 Podium 60 $59\frac{3}{4}$ " x 32" x $20\frac{7}{8}$ "

16 1/4" 15 %"











Immersion



Immersion

Podium

69 5% " x 32 7% " x 22 1% "

15 1/8"



-0 -0 -0 -0

Dimensions

Immersion

Freestanding

69 $\frac{1}{4}$ " x 32 $\frac{7}{8}$ " x 24 $\frac{1}{8}$ "

15 1/8"





Tulipe podium 66" Tulipe podium 60"







65 7/8" x 33 7/8" x 21 1/2" 59 %" x 30 %" x 21 %"

66 $\frac{1}{8}$ " x 35 $\frac{3}{8}$ " x 22 $\frac{3}{4}$ "





Dimensions

Primula podium 66" Primula podium 60"











Dimensions

Marguerite podium









71 %" x 41 %" x 23 $\frac{1}{2}$ "



17 1/4 " 17 1/8"

15 ½"





Dimensions		Immersion	,		- ∘ -∘			-0 -0
Celine with integrated tiling flange and integrated skirt	59 ¾" x 32 ¼" x 19 ¾"	13 ½"	\leftarrow	•••	-0 -0 -0 -0 -0 -0	+ *.**	\leftarrow	-0 -0 -0 -0 -0 -0
Dimensions		Immersion						
Ficus with integrated tiling flange 66"	65 3/8" x 33 5/8" x 19 1/2"	13 1/4"	_	• •	-0 -0 -0 -0 -0 -0	← + •••	_	-0 -0 -0 -0 -0 -0
Ficus with integrated tiling flange 60"	59 ³ / ₄ " x 31 ¹ / ₂ " x 20 ³ / ₄ "	13 3/8"		•	_o _o	•		-0 -0 -0
Dimensions		Immersion						
Petunia with integrated tiling flange and integrated skirt	59 %" x 31" x 19 ¼"	13 ¼"	\leftarrow	•••	-0 -0 -0 -0 -0 -0 -0	< + •••	\leftarrow	-0 -0 -0 -0 -0 -0 -0 -0
Dimensions		Immersion						
Hibiscus podium 66" Hibiscus podium 60"	65 ¾" x 33 ½" x 19 ½" 59 %" x 30 ¾" x 19 %"	13 3/4" 13 3/4"	\leftarrow	•••	-0 -0 -0 -0 -0 -0 -0 -0	< + •••	<	-0 -0 -0 -0 -0 -0 -0
Dimensions		Immersion		• •	-0 -0 -0 -0 -0	/ . • •		-0 -0 -0 -0 -0
Jasmin corner	55 $^{1}/_{4}$ " x 55 $^{1}/_{4}$ " x 23 $^{1}/_{2}$ "	14 7/8"		•	-0 -0 -0 -0	+ •		-0 -0 -0 -0



The perfect match

Our shower bases are made of durable acrylic, are easy to maintain and come in a variety of styles and shapes. You can select the models that best suit your sense of design and decor.

Acrylic bases



Cache 3634 Alcove

Dimensions

 $35 \frac{3}{4}$ " x $33 \frac{7}{8}$ " x 3"

Compatible doors

Azelia 36 (front panels only)

Zen 36 (front panels only)



Cache 3636 Alcove

Dimensions

35 ¾" x 35 ¾" x 3"

Compatible doors

Azelia 36 (front panels only)

Zen 36 (front panels only)



Cache 3636 Corner

Dimensions

35~% " x 35~% " x 3 "

Compatible doors

Azelia 3636 (front panels with return glass panel)

Fashion 3636 (front panels with return glass panel)




Cache 3838 Neo-angle

Dimensions

 $38'' \times 38'' \times 3''$

Compatible doors

Lemans (central sliding)



Cache 4236 Alcove

Dimensions

41 ¾" x 35 ¾" x 3"

Compatible door

Azelia 42 (front panels only)


Base Cache 4236 Corner

Dimensions

41 %" x 35 %" x 3"

Compatible door

Azelia 3642 (front panels with return glass panel)



Cache 4832 Alcove

Dimensions

 $47~\% ^{\prime\prime}$ x 31 $\% ^{\prime\prime}$ x 3"

Compatible doors

Azelia 48 (front panels only) Exalt 48 (front panels only) Smooth 48 (front panels only) Zen 48 (front panels only)


Cache 4832 Corner

Dimensions

47 % x 31 % x 3"

Compatible door

Azelia 3248 (front panels with return glass panel)



Cache 4836 Alcove

Dimensions

47~% x 35~% x 3''


Compatible doors

Azelia 48 (front panels only)

Exalt 48 (front panels only)

Smooth 48 (front panels only)

Zen 48 (front panels only)



Cache 4836 Corner

Dimensions

47 1/8" x 35 1/8" x 3"

Compatible doors

Azelia 3648 (front panels with return glass panel)

Exalt 3648 (front panels with return glass panel)

Fashion 3648 (front panels with return glass panel)

Smooth 3648 (front panels with return glass panel)



Cache 6032 Alcove (left or right drain) Cache 6036 Alcove (left or right drain)

Dimensions

59 3/4" x 31 7/8" x 3" 59 3/4" x 35 7/8" x 3"

Compatible doors

Azelia 60 (front panels only)

Exalt 60 (front panels only)

Smooth 60 (front panels only)

Zen 60 (front panels only)



Cache 6032 Corner (left or right drain)

Dimensions

59 %" x 31 %" x 3"

Compatible doors

Azelia 3260

(front panels with return glass panel)

Exalt 3260

(front panels with return glass panel)

Smooth 3260

(front panels with return glass panel)

Cache 6036 Corner (left or right drain)

Dimensions

59 % x 35 % x 3″

Compatible doors

Azelia 3660

(front panels with return glass panel)

Exalt 3660

(front panels with return glass panel)

Fashion 3660

(front panels with return glass panel)

Smooth 3660

(front panels with return glass panel)



Cache 6036 Alcove (center drain)

Dimensions

 $59 \frac{3}{4}$ " x $35 \frac{7}{8}$ " x 3"


Compatible doors

Azelia 60 (front panels only)

Exalt 60 (front panels only)

Smooth 60 (front panels only)

Zen 60 (front panels only)



Cache 6036 Corner (center drain)

Dimensions

59~% x 35~% x 3

Compatible doors

Azelia 3660

(front panels with return glass panel)

Exalt 3660

(front panels with return glass panel)

Fashion 3660

(front panels with return glass panel)

Smooth 3660

(front panels with return glass panel)



Open up your space

Add the finishing touches to your space by choosing from Alcove's vast selection of shower doors, all made of top quality materials: 6, 8 or 10-mm tempered glass (depending on the model), efficient, robust hardware, as well as sliding or pivoting doors with central or lateral opening. Countless options that will bring your vision of style to life.

Alcove applies a cutting-edge protective coating that repels water and dirt, ensuring easy cleaning and an extended life for your shower doors.

Shower doors



Frameless

Chrome square hardware

6 mm tempered glass

74" height

Right or left installation (reversible)

Compatible bases

Azelia 3248

Base Cache 4832 Corner (center drain)

Azelia 3260

Base Cache 6032 Corner (left or right drain)

Azelia 3636

Base Cache 3636 Corner (center drain)

Azelia 3642

Base Cache 4236 Corner (center drain)

Azelia 3648

Base Cache 4836 Corner (left or right drain)

Azelia 3660

Base Cache 6036 Corner (center drain) Base Cache 6036 Corner (left or right drain)



Full-glass door

Frameless

Chrome square hardware

6 mm tempered glass

74" height

Right or left installation (reversible)

Compatible bases

Azelia 36

Base Cache 3634 Alcove (center drain)
Base Cache 3636 Alcove (center drain)

Azelia 42

Base Cache 4236 Alcove (center drain)

Azelia 48

Base Cache 4832 Alcove (center drain) Base Cache 4836 Alcove (left or right drain)

Azelia 60

Base Cache 6032 Alcove (left or right drain) Base Cache 6036 Alcove (center drain) Base Cache 6036 Alcove (left or right drain)

Minimum and maximum adjustments

Azelia 36: 33 %" to 34 %"

Azelia 42: 39 7/16" to 40 5/8"

Azelia 48: 45 3%" to 46 5%"

Azelia 60: 57 3%" to 58 5%"



Frameless

Chrome hardware

8 mm (1/4") tempered glass

78 ¾" height

Right or left installation (reversible)

Fixed panel, sliding door panel and return panel

Compatible bases Exalt 3648

Base Cache 4836 Corner

Exalt 3260

Base Cache 6032 Corner (left or right drain)

Exalt 3660

Base Cache 6036 Corner (left or right drain) Base Cache 6036 Corner (center drain)



Full-glass door

Frameless

Chrome hardware

8 mm (1/4") tempered glass

78 ¾" height

Right or left opening (reversible)

Minimum and maximum adjustments

Exalt 60: 58 %" to 59" Exalt 48: 46 %" to 47" Compatible bases Exalt 48

Base Cache 4836 Alcove

Exalt 60

Base Cache 6032 Alcove (left or right drain) Base Cache 6036 Alcove (left or right drain) Base Cache 6036 Alcove (center drain)



Full-glass door

Soft-close

Chrome hardware

8 mm (1/4") tempered glass

78 ¾" height

Fixed panel, sliding door panel and

return panel

Right or left installation (reversible)

Compatible bases Exalt 3648


Base Cache 4836 Corner

Exalt 3260

Base Cache 6032 Corner (left or right drain)

Exalt 3660

Base Cache 6036 Corner (left or right drain) Base Cache 6036 Corner (center drain)



Soft-close

Chrome hardware

8 mm (1/4") tempered glass

78 ¾" height

Right or left opening (reversible)

Minimum and maximum adjustments

Smooth 60: 57 1/16" to 58 1/16"

Smooth 48: 45 $\% \ensuremath{\mathrm{6}}''$ to 46 $\% \ensuremath{\mathrm{6}}''$

Compatible bases Smooth 48

Base Cache 4836 Alcove

Smooth 60

Base Cache 6032 Alcove (left or right drain) Base Cache 6036 Alcove

(left or right drain)

Base Cache 6036 Alcove

(center drain)



Central sliding

19 1/16" door opening

6 mm tempered glass

70 ¾" height

Compatible base

Base Cache 3838 Neo-angle

Options

Chrome frame clear glass Chrome frame brume glass



Pivoting and reversible 2 panels bath screen

Right or left (reversible)

Chrome hardware

6 mm tempered glass with polished edges

Shower door 41 ¾" x 59 "



Frameless

Chrome square hardware

10 mm (%") tempered glass

74" height

Right or left opening (reversible)

23 %" (600 mm) door opening

Total minimum and maximum widths
Zen 60: 57 ½" to 59 ½"

Zen 48: 45 % "to 46 ½"

Zen 36: 34" to 35 1/4"

Compatible bases Zen 60

Base Cache 6032 Alcove (left or right drain) Base Cache 6036 Alcove (left or right drain) Base Cache 6036 Alcove (center drain)

Zen 48

Base Cache 4834 Alcove Base Cache 4836 Alcove

Zen 36

Base Cache 3634 Alcove Base Cache 3636 Alcove



Full-glass door

Frameless

Chrome square hardware

 $10~\mathrm{mm}~(\%'')$ tempered glass

74" height

Right or left installation (reversible)

23 %" (600 mm) door opening

Compatible bases Fashion 3660

Base Cache 6036 Corner (left or right drain) Base Cache 6036 Corner (center drain)

Fashion 3648

Base Cache 4836 Corner

Fashion 3636

Base Cache 3636 Corner



Shower doors perfect protection

Easyclean finish

Features

- Nanocoat technology
- Strong hydrophobicity
- Improved appearance
- Repels water, soil, stains and buildup
- More than 110° surface contact angle
- Easier cleaning
- Perfect protection
- Up to 10 years durability

^{*}Use neutral detergent to wash your doors

Functional beauty

Alcove offers sinks and toilets that are sure to seduce you with their functionality as well as with their elegant design. Our exceptional manufacturing processes and careful selection of materials show through products that you will appreciate for years to come. They will perfectly integrate into your complete bathroom concept.

Porcelain



FB1699 Zen toilet

White

Chrome finish for discharge valve With integrated auto-lowering seats



FB1696 Paris toilet

White

Chrome finish for discharge valve With integrated auto-lowering seats



FB1697 Florence toilet

White

Chrome finish for discharge valve With integrated auto-lowering seats



FB1650 Malaga toilet

White

Chrome finish for discharge valve With integrated auto-lowering seats 4.8 liters



FP4606 Undermount sink Verona*

White

*Sink template available for this model.



FP4645-1 Undermount sink Karara*

White

*Sink template available for this model.



Wish S30

White

Dimensions

 $22'' \times 30'' \times 5 \, \frac{1}{4} ''$

Option

2" height



Wish S48

White

Dimensions

22" x 48" x 5 ½"

Option

2" height



Wish S60

White

Dimensions

22" x 60" x 5 ½"

Option

2" height



Zen 19R

White

Dimensions $17" \times 19" \times 6 \frac{1}{8}"$

Option 2" height



Zen 25R

White

Dimensions $17'' \times 25'' \times 6^{1/8}''$

Option 2" height



Zen 50R

White

Dimensions 17" x 49 7%" x 6 1%"

Option 2" height





A source of inspiration

Faucets are the key to creating a signature look for your bathroom. To complete your Alcove bathroom concept, two high-end collections will add a final touch to your project. Our models are all available in chrome finish. Their superior quality craftsmanship ensures precision performance, easy maintenance and peace of mind for years to come. For an even more unique project, Alcove makes it possible to customize each component of your shower, shower head, body jets, valves — they all work together to create the look and experience you want.

Faucets

bathtub



sink



Single-hole lavatory faucet with waste included



Floor-standing bathtub faucet with hand shower

shower







Thermostatic valve (3/4")

Shut-off valve (3/4")

Diverter valve (3/4")







Sliding bar with hand shower

Rain-style shower head (136 jets with anti-lime deposit protection)

Body jet

accessories





Wash-basin trap

bathtub



sink



Single-hole lavatory faucet with waste included



Floor-standing bathtub faucet with hand shower

shower



Thermostatic valve (3/4")



Shut-off valve (3/4")



Diverter valve (3/4")



Sliding bar with hand shower



Rain-style shower head (141 jets with anti-lime deposit protection)



Body jet

accessories



Water outlet



Wash-basin trap



Rain-style shower head, 4 body jets, hand shower, thermostatic valve and toe tester



Electronic controls and jets

Electronic controls

Available in white, biscuit, bone or chrome

Rayola



Whirlpool system orchromatherapy light



Whirlpool system and chromatherapy light



Balne-Air or Vibro-Air systems and chromatherapy light



Balne-Air or Vibro-Air systems



Combined Whirlpool / Balne-Air systems or Whirlpool / Vibro-Air systems and chromatherapy light



Combined Whirlpool / Balne-Air systems or Whirlpool / Vibro-Air systems



Jets - Whirlpool

Turbo

3 ½" diameter



Micro-rotating

1 %" diameter



Balne-Air jet 9 / 16" diameter



Vibro-Air jet







Colors and accessories

Standard colors for acrylic



Optional colors for acrylic*



Nuance acrylic color options*



Colors may differ slightly due to the nature of the printing process.

^{*}Customized products, non cancellable, non returnable.

Drain

123Connect



FLOOR DRAIN FOR YOU FREESTANDING BATHTUB, EASY TO INSTALL

FEATURES

- 123Connect is a freestanding Tub rough-in (install before tile)
- Facilitates freestanding bath installation
- 18 Gauge Epoxy coated metal Deck Flange
- Designed to be installed in a 8/10" joist space
- Can be installed with Waterproofing Membrane

Drain adapter for freestanding bathtubs

Pillow



Gel black neck pillow
Dimension: 12" x 4 1/4" x 1 1/4"

Handles



Standard Length 6"

Drain



Automatic drain 20" or 27"

Models	Pages	Total dimensions	Lenght (bottom of bathtub)	Water capacity (imperial gallons)	Immersion	Whirtpool	Back jets	Balne-Air	Vibro-Air	Chromatherapy	Rayola	Nuance
Acore podium	37	71 %" x 41 ¾" x 22 ¾"	45 1/8"	142	17 %″	•	•	•	•	•	•	0
Alisma 4272 podium	33	71 %" x 41 %" x 24"	46 ¾"	85	16 1/4"	•	•	•	•	•	•	0
Alisma 4266 podium	33	65 %" x 41 ¾" x 24"	43 ¾"	83	16 1/4"	•	•	•	•	•	•	0
Alisma 3672 podium	33	71 %" x 35 ¾" x 24"	46 ¾"	76	16 1/4"	•	•	•	•	•	•	0
Alisma 3666 podium	33	65 %" x 35 ¾" x 24"	43 ¾"	69	16 1/4"	•	•	•	•	•	•	0
Alisma 3672F2 freestanding	32	71 %" x 35 ¾" x 24"	46 ¾"	76	16 1/4"			•	•	•	•	•
Alisma 3666F2 freestanding	32	65 %" x 35 ¾" x 24"	43 ¾"	69	16 1/4"			•	•	•	•	•
Caprice 5.5' podium	42	65 1/8" x 33 7/8" x 21 3/4"	46 ½"	75	16 ¼"	•	•	•	•	•	•	0
Caprice 5' podium	42	59 ¾" x 32 x 20 ¾"	41 1/8"	60	15 %"	•	•	•	•	•	•	0
Celine with integrated tiling flange and integrated skirt	47	59 ¾" x 32 ¼" x 19 ¾"	43 1/8"	35	13 ½"	•	•	•	•	•	•	0
Cosmos 5,5' freestanding	28	66 1/8" x 31 1/4" x 21 1/2"	50 ¾"	120	15 %″							•
Cosmos 5' freestanding	28	59 ½" x 29 ¾" x 21 ½"	49 %"	100	16 1/8"							•
Eidel podium	36	66 ½" x 31 ¼" x 20 %"	42 ½"	33	13 %"			•	•	•	•	0
Eidel freestanding	36	66 ½" x 31 ¼" x 20 %"	42 ½"	33	13 %"			•	•	•		•
Eidel freestanding with tiling flange	36	66 %" x 31 ½" x 20 %"	41 ¾"	33	13 %"			•	•	•	•	•
Eidel Weiss freestanding	29	70 %" x 31 %" x 27 %"	44 %"	33	12 %"							•
Ficus 5,5' with integrated tiling flange	47	65 %" x 33 %" x 19 ½"	51 1/8"	32	13 ¼"	•	•	•	•	•	•	0
Ficus 5' with integrated tiling flange	47	59 ¾" x 31 ½" x 20 ¾"	44 1/8"	24	13%"	•	•	•	•	•	•	0
Flory de Colt 6' podium	39	71 %" x 32 ¼" x 20 %"	44 %"	90	15 ¼"	•	•	•	•	•	•	0
Flory de Colt 6' with integrated tiling flange	41	72 ¼" x 32 ¼" x 20 ¾"	44 %"	90	15 ¼"	•	•	•	•	•	•	0
Flory de Colt 5,5' podium	39	65 %" x 30 %" x 21 %"	49 ½"	87	15 %"	•	•	•	•	•	•	0
Flory de Colt 5,5' with integrated tiling flange	41	66 1/8" x 30 7/8" x 21 3/8"	49 ½"	87	16 1/8"	•	•	•	•	•	•	0
Flory de Colt 5,5' freestanding	39	65 ¼" x 30 %" x 21 %"	49 ½"	87	16 1/8"	0		•	•	•	•	0
Flory de Colt 5,5' with integrated tiling flange and corner integrated skirt	41	64 %" x 30 ½" x 21 %"	49 ½"	87	16 1/8"			•	•	•	•	0
Flory de Colt 5,5' with integrated tiling flange and corner integrated skirt	41	66" x 30 ½" x 21 ¾"	49 ½"	87	16 1/8"			•	•	•	•	0
Flory de Colt 5,5' with integrated tiling flange and integrated skirt	41	65 %" x 30 ½" x 21 %"	49 ½"	87	16 1/8"	•	•	•	•	•	•	0
Flory de Colt 5' podium	39	59 %" x 30 %" x 21 %"	44 1/8"	73	15 ¾"	•	•	•	•	•	•	0
Flory de Colt 5' with integrated tiling flange	41	59 ¾" x 31" x 21 ¾"	44 1/8"	73	15 ¾"	•	•	•	•	•	•	0
Flory de Colt 5' with integrated tiling flange and corner integrated skirt	41	59" x 30 ¼" x 21"	44 1/8"	73	15 ¾"	0		•	•	•	•	0
Flory de Colt 5' with integrated tiling flange and corner integrated skirt	41	60 %" x 30 ¼" x 21"	44 1/8"	73	15 ¾"	0	0	•	•	•	•	0
Flory de Colt 5' with integrated tiling flange and integrated skirt	41	59 %" x 30 ¼" x 21 ½ "	44 1/8"	73	15 ¾"	•	•	•	•	•	•	0

Available option

O Non available option

Models	Pages	Total dimensions	Lenght (bottom of bathtub)	Water capacity (imperial gallons)	Immersion	Whirlpool	Back jets	Balne-Air	Vibro-Air	Chromatherapy	Rayola	Nuance
Hibiscus 5,5' podium	47	65 ¾" x 33 ½" x 19 ½"	48 1/8"	43	13 %"	•	•	•	•	•	•	0
Hibiscus 5' podium	47	59 %" x 30 %" x 19 %"	44 1/2"	29	13 ¾"	•	•	•	•	•	•	0
Jasmin corner podium	47	55 ¼" x 55 ¼" x 23 ½"	46 ½"	54	14 %"	•	•	•	•	•	•	0
Lilium podium	43	69 %" x 32 %" x 22 %"	45 ½"	113	15 %"	0		•	•	•	0	0
Lilium freestanding	43	69 ¼" x 32 ¾" x 24 ¼"	45 ½"	113	15 %"							•
Marguerite podium	45	71 %" x 41 %" x 23 ½"	48 %"	68	15 ½"	•	•	•	•	•	•	0
Petunia with integrated tiling flange and integrated skirt	47	59 %" x 31" x 19 ¼"	44 %"	36	13 ¼"	•	•	•	•	•	•	0
Primula 5,5' podium	45	66 1/8" x 35 3%" x 22 3/4"	44 %"	93	17 ¼"	•	•	•	•	•	•	0
Primula 5' podium	45	60 1/8" x 33 1/8" x 22 1/2"	44 ¼"	93	17 1/8"	•	•	•	•	•	•	0
Seria 4272 podium	31	71 %" x 41 %" x 23 ½"	46 1/4"	106	17 ½"	•	•	•	•	•	•	
Seria 4266 podium	31	65 ⁷ / ₈ " x 41 ⁷ / ₈ " x 23 ¹ / ₂ "	42 1/4"	97	17 ½"	•	•	•	•	•	•	
Seria 3672 podium	31	71 7/8" x 35 7/8" x 23 1/2"	46 1/4"	85	17 ½"	•	•	•	•	•	•	
Seria 3666 podium	31	65 1/8" x 35 1/8" x 23 1/2"	42 1/4"	78	17 ½"	•	•	•	•	•	•	
Seria 3672F1 freestanding	30	71" x 35 1/16" x 24"	46 1/4"	122	17 ½"	0		•	•	•	•	•
Seria 3666F1 freestanding	30	64 %" x 35" x 24"	42 1/4"	105	17 ½"			•	•	•	•	•
Tulipe 5,5' podium	45	65 %" x 33 %" x 21 ½"	44 %"	65	16"	•	•	•	•	•	•	0
Tulipe 5' podium	45	59 %" x 30 %" x 21 %"	40 1/8"	58	16 1/8"	•	•	•	•	•	•	
Wisteria O freestanding	34	66 %" x 33" x 22 ½"	43 ¼"	53	15"						0	
Wisteria R freestanding	35	66 ¾" x 33 ½" x 22 ½ "	47 1/4"	64	15 %″	0	0	0	0	0	0	0

Available option

O Non available option



Warranty and Certifications

Alcove warranty

Alcove certifies that your product has been inspected and tested by our specialists and that it is compliant with the highest quality standards.



ETL certification

All our products and their components have received ETL certification which attests to their quality and reliability.



UPC certification

IAPMO: All our porcelain products have received UPC certification which attests to their quality and reliability.



Certification ECORESPONSIBLE

Alcove has been certified ecoresponsible, recognizing its initiatives towards limiting its environmental footprint.

Features and warranty